

# Package: scda.2022 (via r-universe)

October 18, 2024

**Type** Package

**Title** Synthetic CDISC Data Archive 2022

**Version** 0.1.5.9008

**Date** 2024-08-19

**Description** An archive of synthetic CDISC data for 2022.

**License** Apache License 2.0 | file LICENSE

**Depends** R (>= 3.6)

**Config/Needs/website** insightsengineering/nesttemplate

**Encoding** UTF-8

**Language** en-US

**LazyData** true

**LazyDataCompression** bzip2

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Repository** <https://pharmaverse.r-universe.dev>

**RemoteUrl** <https://github.com/insightsengineering/scda.2022>

**RemoteRef** HEAD

**RemoteSha** 2f863a65321cec47177c6dc5813aa2053735220e

## Contents

red_data_2022 . . . . .	2
red_data_2022_01_28 . . . . .	2
red_data_2022_02_28 . . . . .	4
red_data_2022_06_27 . . . . .	6
red_data_2022_10_13 . . . . .	7
red_data_2023_03_17 . . . . .	9
red_data_2023_07_07 . . . . .	11

<b>Index</b>	<b>13</b>
--------------	-----------

---

rcd_data_2022	<i>Cached datasets from</i> random.cdisc.data
---------------	---

---

**Description**

Cached datasets from 2022 releases of random.cdisc.data.

**Usage**

rcd\_2022\_01\_28

rcd\_2022\_02\_28

rcd\_2022\_06\_27

rcd\_2022\_10\_13

rcd\_2023\_03\_17

rcd\_2023\_07\_07

**Format**

An object of class `list` of length 18.

An object of class `list` of length 19.

An object of class `list` of length 19.

An object of class `list` of length 20.

An object of class `list` of length 20.

An object of class `list` of length 20.

---

rcd_data_2022_01_28	<i>Cached datasets from the 2022_01_28 release of</i> random.cdisc.data
---------------------	--

---

**Description**

Cached datasets from the 2022\_01\_28 release of random.cdisc.data

**Usage**

*rcd\_2022\_01\_28\_ads1*  
*rcd\_2022\_01\_28\_adae*  
*rcd\_2022\_01\_28\_adaette*  
*rcd\_2022\_01\_28\_adcm*  
*rcd\_2022\_01\_28\_addv*  
*rcd\_2022\_01\_28\_adeq*  
*rcd\_2022\_01\_28\_adex*  
*rcd\_2022\_01\_28\_adhy*  
*rcd\_2022\_01\_28\_adlb*  
*rcd\_2022\_01\_28\_admh*  
*rcd\_2022\_01\_28\_adpc*  
*rcd\_2022\_01\_28\_adpp*  
*rcd\_2022\_01\_28\_adqs*  
*rcd\_2022\_01\_28\_adrs*  
*rcd\_2022\_01\_28\_adsub*  
*rcd\_2022\_01\_28\_adtr*  
*rcd\_2022\_01\_28\_adtte*  
*rcd\_2022\_01\_28\_adv*s

**Format**

An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 400 rows and 39 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 1934 rows and 69 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 3600 rows and 50 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 3602 rows and 57 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 103 rows and 50 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 13600 rows and 72 columns.  
An object of class *tbl\_df* (inherits from *tbl*, *data.frame*) with 6400 rows and 51 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 78 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 49 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3582 rows and 50 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3582 rows and 48 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 57 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 49 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 49 columns.  
An object of class `data.frame` with 2800 rows and 61 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1600 rows and 50 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 69 columns.

---

`rcd_data_2022_02_28` *Cached datasets from the 2022\_02\_28 release of*  
`random.cdisc.data`

---

### **Description**

Cached datasets from the 2022\_02\_28 release of `random.cdisc.data`

### **Usage**

`rcd_2022_02_28_ads1`  
`rcd_2022_02_28_adab`  
`rcd_2022_02_28_adae`  
`rcd_2022_02_28_adaette`  
`rcd_2022_02_28_adcm`  
`rcd_2022_02_28_addv`  
`rcd_2022_02_28_adeq`  
`rcd_2022_02_28_adex`  
`rcd_2022_02_28_adhy`  
`rcd_2022_02_28_adlb`  
`rcd_2022_02_28_admh`

*rcd\_2022\_02\_28\_adpc*  
*rcd\_2022\_02\_28\_adpp*  
*rcd\_2022\_02\_28\_adqs*  
*rcd\_2022\_02\_28\_adrs*  
*rcd\_2022\_02\_28\_adsub*  
*rcd\_2022\_02\_28\_adtr*  
*rcd\_2022\_02\_28\_adtte*  
*rcd\_2022\_02\_28\_adv*

**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 44 columns.  
An object of class `data.frame` with 1596 rows and 21 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 74 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 68 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 103 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 77 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 56 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 60 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 85 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 4378 rows and 57 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13134 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 62 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 54 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 54 columns.  
An object of class `data.frame` with 2800 rows and 66 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1600 rows and 55 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 76 columns.

---

rcd\_data\_2022\_06\_27 *Cached datasets from the 2022\_06\_27 release of*  
random.cdisc.data

---

**Description**

Cached datasets from the 2022\_06\_27 release of random.cdisc.data

**Usage**

rcd\_2022\_06\_27\_adsl  
rcd\_2022\_06\_27\_adab  
rcd\_2022\_06\_27\_adae  
rcd\_2022\_06\_27\_adaette  
rcd\_2022\_06\_27\_adcm  
rcd\_2022\_06\_27\_addv  
rcd\_2022\_06\_27\_adeq  
rcd\_2022\_06\_27\_adex  
rcd\_2022\_06\_27\_adhy  
rcd\_2022\_06\_27\_adlb  
rcd\_2022\_06\_27\_admh  
rcd\_2022\_06\_27\_adpc  
rcd\_2022\_06\_27\_adpp  
rcd\_2022\_06\_27\_adqs  
rcd\_2022\_06\_27\_adrs  
rcd\_2022\_06\_27\_adsub  
rcd\_2022\_06\_27\_adtr  
rcd\_2022\_06\_27\_adtte  
rcd\_2022\_06\_27\_advb

**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 56 columns.  
An object of class `data.frame` with 93632 rows and 21 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 92 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 67 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 84 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 103 rows and 67 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 89 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 80 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 72 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 103 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 68 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 7570 rows and 72 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 26268 rows and 69 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 74 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 66 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 66 columns.  
An object of class `data.frame` with 2800 rows and 77 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 68 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 88 columns.

---

rca\_data\_2022\_10\_13 *Cached datasets from the 2022\_10\_13 release of*  
random.cdsc.data

---

**Description**

Cached datasets from the 2022\_10\_13 release of random.cdsc.data

**Usage**

rca\_2022\_10\_13\_ads1  
rca\_2022\_10\_13\_adab  
rca\_2022\_10\_13\_adae  
rca\_2022\_10\_13\_adaette  
rca\_2022\_10\_13\_adcm

rcd\_2022\_10\_13\_addv  
rcd\_2022\_10\_13\_adeq  
rcd\_2022\_10\_13\_adex  
rcd\_2022\_10\_13\_adhy  
rcd\_2022\_10\_13\_adlb  
rcd\_2022\_10\_13\_admh  
rcd\_2022\_10\_13\_adpc  
rcd\_2022\_10\_13\_adpp  
rcd\_2022\_10\_13\_adqlqc  
rcd\_2022\_10\_13\_adqs  
rcd\_2022\_10\_13\_adrs  
rcd\_2022\_10\_13\_adsub  
rcd\_2022\_10\_13\_adtr  
rcd\_2022\_10\_13\_adtte  
rcd\_2022\_10\_13\_adv

**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 56 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 58520 rows and 22 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 92 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 67 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 84 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 103 rows and 67 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 89 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 80 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 72 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 103 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 68 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6640 rows and 72 columns.  
An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 26268 rows and 69 columns.



An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 74 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 66 columns.

An object of class `data.frame` with 2800 rows and 77 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 68 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 88 columns.

---

`rct_data_2023_03_17` *Cached datasets from the 2023\_03\_17 release of*  
`random.cdisc.data`

---

## Description

Cached datasets from the 2023\_03\_17 release of `random.cdisc.data`

## Usage

`rct_2023_03_17_ads1`

`rct_2023_03_17_adab`

`rct_2023_03_17_adae`

`rct_2023_03_17_adaette`

`rct_2023_03_17_adcm`

`rct_2023_03_17_addv`

`rct_2023_03_17_adeq`

`rct_2023_03_17_adex`

`rct_2023_03_17_adhy`

`rct_2023_03_17_adlb`

`rct_2023_03_17_admh`

`rct_2023_03_17_adpc`

`rct_2023_03_17_adpp`

`rct_2023_03_17_adqlqc`

rcd\_2023\_03\_17\_adqs  
rcd\_2023\_03\_17\_adrs  
rcd\_2023\_03\_17\_adsub  
rcd\_2023\_03\_17\_adtr  
rcd\_2023\_03\_17\_adtte  
rcd\_2023\_03\_17\_advsv

**Format**

An object of class tbl\_df (inherits from tbl, data.frame) with 400 rows and 55 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 58520 rows and 22 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 1934 rows and 92 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 3600 rows and 66 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 3685 rows and 83 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 119 rows and 66 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 13600 rows and 88 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 6400 rows and 79 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 20000 rows and 71 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 8400 rows and 102 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 1934 rows and 67 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 6640 rows and 71 columns.  
An object of class data.frame with 26268 rows and 68 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 116803 rows and 50 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 14000 rows and 73 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 3200 rows and 65 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 2000 rows and 65 columns.  
An object of class data.frame with 2800 rows and 76 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 2000 rows and 67 columns.  
An object of class tbl\_df (inherits from tbl, data.frame) with 16800 rows and 87 columns.

---

rcd\_data\_2023\_07\_07 *Cached datasets from the 2023\_07\_07 release of*  
random.cdisc.data

---

**Description**

Cached datasets from the 2023\_07\_07 release of random.cdisc.data

**Usage**

rcd\_2023\_07\_07\_ads1  
rcd\_2023\_07\_07\_adab  
rcd\_2023\_07\_07\_adae  
rcd\_2023\_07\_07\_adaette  
rcd\_2023\_07\_07\_adcm  
rcd\_2023\_07\_07\_addv  
rcd\_2023\_07\_07\_adeq  
rcd\_2023\_07\_07\_adex  
rcd\_2023\_07\_07\_adhy  
rcd\_2023\_07\_07\_adlb  
rcd\_2023\_07\_07\_admh  
rcd\_2023\_07\_07\_adpc  
rcd\_2023\_07\_07\_adpp  
rcd\_2023\_07\_07\_adqlqc  
rcd\_2023\_07\_07\_adqs  
rcd\_2023\_07\_07\_adrs  
rcd\_2023\_07\_07\_adsub  
rcd\_2023\_07\_07\_adtr  
rcd\_2023\_07\_07\_adtte

rcd\_2023\_07\_07\_adv

rcd\_2023\_07\_07\_adqlqc

### **Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 400 rows and 55 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6916 rows and 21 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 92 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3600 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3685 rows and 83 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 119 rows and 66 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 13600 rows and 88 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6400 rows and 79 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 20000 rows and 71 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 8400 rows and 102 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1934 rows and 67 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 6640 rows and 72 columns.

An object of class `data.frame` with 26268 rows and 68 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 14000 rows and 73 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3200 rows and 65 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 65 columns.

An object of class `data.frame` with 2800 rows and 76 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 2000 rows and 67 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16800 rows and 87 columns.

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 116803 rows and 50 columns.

# Index

## \* datasets

- rcd\_data\_2022, 2
- rcd\_data\_2022\_01\_28, 2
- rcd\_data\_2022\_02\_28, 4
- rcd\_data\_2022\_06\_27, 6
- rcd\_data\_2022\_10\_13, 7
- rcd\_data\_2023\_03\_17, 9
- rcd\_data\_2023\_07\_07, 11
  
- rcd\_2022\_01\_28 (rcd\_data\_2022), 2
- rcd\_2022\_01\_28\_adae (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adaette (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adcm (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_addv (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adeq (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adex (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adhy (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adlb (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_admh (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adpc (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adpp (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adqs (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adrs (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_ads1 (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adsub (rcd\_data\_2022\_01\_28), 2
  
- rcd\_2022\_01\_28\_adtr (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adtte (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_01\_28\_adv (rcd\_data\_2022\_01\_28), 2
- rcd\_2022\_02\_28 (rcd\_data\_2022), 2
- rcd\_2022\_02\_28\_adab (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adae (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adaette (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adcm (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_addv (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adeq (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adex (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adhy (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adlb (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_admh (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adpc (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adpp (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adqs (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adrs (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_ads1 (rcd\_data\_2022\_02\_28), 4
- rcd\_2022\_02\_28\_adsub (rcd\_data\_2022\_02\_28), 4

rcd\_2022\_02\_28\_adtr  
     (rcd\_data\_2022\_02\_28), 4  
 rcd\_2022\_02\_28\_adtte  
     (rcd\_data\_2022\_02\_28), 4  
 rcd\_2022\_02\_28\_adv  
     (rcd\_data\_2022\_02\_28), 4  
 rcd\_2022\_06\_27 (rcd\_data\_2022), 2  
 rcd\_2022\_06\_27\_adab  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adae  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adaette  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adcm  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_addv  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adeq  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adex  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adhy  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adlb  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_admh  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adpc  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adpp  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adqs  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adrs  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_ads1  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adsub  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adtr  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adtte  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_06\_27\_adv  
     (rcd\_data\_2022\_06\_27), 6  
 rcd\_2022\_10\_13 (rcd\_data\_2022), 2  
 rcd\_2022\_10\_13\_adab  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adae  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adaette  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adcm  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_addv  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adeq  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adex  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adhy  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adlb  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_admh  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adpc  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adpp  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adqlqc  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adqs  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adrs  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_ads1  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adsub  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adtr  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adtte  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2022\_10\_13\_adv  
     (rcd\_data\_2022\_10\_13), 7  
 rcd\_2023\_03\_17 (rcd\_data\_2022), 2  
 rcd\_2023\_03\_17\_adab  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adae  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adaette  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adcm  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_addv

(rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adeq  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adex  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adhy  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adlb  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_admh  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adpc  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adpp  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adqlqc  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adqs  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adrs  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_ads1  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adsub  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adtr  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adtte  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_03\_17\_adv  
     (rcd\_data\_2023\_03\_17), 9  
 rcd\_2023\_07\_07 (rcd\_data\_2022), 2  
 rcd\_2023\_07\_07\_adab  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adae  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adaette  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adcm  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_addv  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adeq  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adex  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adhy  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adlb  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_admh  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adpc  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adpp  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adqlqc  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adqs  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adrs  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_ads1  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adsub  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adtr  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adtte  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_2023\_07\_07\_adv  
     (rcd\_data\_2023\_07\_07), 11  
 rcd\_data\_2022, 2  
 rcd\_data\_2022\_01\_28, 2  
 rcd\_data\_2022\_02\_28, 4  
 rcd\_data\_2022\_06\_27, 6  
 rcd\_data\_2022\_10\_13, 7  
 rcd\_data\_2023\_03\_17, 9  
 rcd\_data\_2023\_07\_07, 11